

<u>Species</u>	<u>Detectibility</u>	<u>KEY</u>
Avocet, American	Sp/F; 1 ; X	<b>Best Times (Not the only times):</b> Spring (Sp)    Summer (Su)    Fall (F) Winter (W)    All Year (Y)
Blackbird, Brewer's	Sp/F; 4; X	
Blackbird, Red-winged *	Y; 6; A	<b>Preferred Habitat</b> 1) River and River Shores 2) Forest and Forest Edges 3) Brushy Areas 4) Fields and Prairies 5) Canyons 6) Just about everywhere!
Blackbird, Rusty	Sp/F; 3; R	
Bluebird, Eastern *	Sp-F; 3/4; C	
Bobolink	Sp/Su; 4; R	
Bobwhite, Northern *	Y; 4; R	
Bufflehead	F-Sp; 1; U	
Bunting, Indigo *	Sp/Su; 2/3; A	<b>Abundance</b> A- Abundant; Easily found on every outing. C- Common; Usually found on every outing. U- Uncommon; Often but irregularly found. R- Rare; Only found occasionally. X- Accidental; Recorded only once or twice.
Canvasback	Sp/F; 1; R	
Cardinal, Northern *	Y; 2/3; A	* confirmed breeding in the park
Catbird, Gray *	Sp/Su; 2/3; A	
Chat, Yellow-breasted	Sp/Su; 3; R	
Chicadee, Black-capped *	Y; 2; A	
Coot, American	Sp/F; 1; C	
Cormorant, Double-crested *	Sp-F; 1; A	
Cowbird, Brown-headed *	Y; 6; A	
Crane, Sandhill	Sp/F, 1/4; R	
Creeper, Brown *	W/Sp; 2; U	
Crow, American *	Y; 6; A	
Cuckoo, Black-billed *	Sp/Su; 2; R	
Cuckoo, Yellow-billed *	Sp/Su; 2; U	
Dickeissel *	Sp/Su; 4; C	
Dove, Mourning *	Y; 6; A	
Dove, Rock *	Y; 6; A	
Dowitcher, Long-billed	Sp/F; 1; R	
Dowitcher, Short-billed	Sp/F; 1; U	
Duck, Am. Black	Sp/F; 1; U	
Duck, Ring-necked	Sp/F; 1; U	
Duck, Ruddy	Sp/F; 1; U	
Duck, Wood *	Sp-F; 1/5; U	
Dunlin	Sp/F; 1; U	
Eagle, Bald	W; 1; C	
Eagle, Golden	F; 1; X	
Eastern Kingbird *	Sp/Su; 3/4; C	
Egret, Cattle	Sp; 1; R	
Egret, Great	Sp-F; 1; C	
Egret, Snowy	Sp/F; 1; R	
Finch, House *	Y; 3; C	
Finch, Purple	W/Sp; 2/3; R	
Flicker, Northern *	Y; 2; U	
Flycatcher, Acadian *	Sp/Su; 5; C	
Flycatcher, Alder	Sp; 2/3; R	
Flycatcher, Great Crested *	Sp/Su; 2; C	

Flycatcher, Least	Sp/Su; 2/3; C
Flycatcher, Willow *	Sp/Su; 3; R
Flycatcher, Yellow-bellied	Sp/F; 2; R
Flycatcher, Olive-sided	Sp; 2; R
Gadwall	Sp/F; 1; U
Gnatcatcher, Blue-gray *	Sp/Su; 2; C
Godwit, Hudsonian	Sp/Su; 1; X
Goldeneye, Common	F-Sp; 1; C
Golden-Plover, American	Sp; 1/4; R
Goldfinch, American *	Y; 6; A
Goose, Canada *	Y; 1/4; C
Goose, Gr. White-front	Sp/F; 1; U
Goose, Ross's	Sp/F; 1; R
Goose, Snow	Sp/F; 1; U
Grackle, Common	Sp-F; 6; A
Great, Snowy	F/W; 1; R
Grebe, Horned	F/W; 1; R
Grebe, Pied-billed	Sp/F; 1; U
Grosbeak, Blue	Sp; 3; X
Grosbeak, Rose-breasted *	Sp/Su; 2/3; C
Growsbeak, Evening	W; 2; X
Gull, Bonaparte's	Sp/F; 1; U
Gull, Franklin's	Sp/F; 1; R
Gull, Glaucous	W; 1; U
Gull, Great Black-backed	W; 1; R
Gull, Herring	W; 1; A
Gull, Iceland	W; 1; U
Gull, Lesser Black-backed	W; 1; U
Gull, Ring-billed	Y; 1; A
Gull, Thayer's	W; 1; U
Harrier, Northern	Sp/F; 4; U
Hawk, Broad-winged	Sp/F; 2; U
Hawk, Coopers *	Y; 2; U
Hawk, Red-shouldered *	Y; 2; U
Hawk, Red-tailed *	Y; 6; C
Hawk, Rough-legged	W; 4; U
Hawk, Sharp-shinned	F-Sp; 2; U
Heron, Great Blue	Y; 1; C
Heron, Green *	Sp/Su; 1/5; U
Heron, Little Blue	Su/F; 1; R
Hummingbird, Ruby-th. *	Sp/Su; 2/3; U
Jay, Blue *	Y; 6; A
Junco, Dark-eyed	W/Sp; 6; A
Kestrel, American *	Y; 3/4; C
Killdeer *	Sp/Su; 4; C
Kingfisher, Belted *	Y; 1/5; C
Kinglet, Golden-crowned	Sp/F; 2; U

Kinglet, Ruby-crowned	Sp/F; 2; U
Lark, Horned *	Y; 4; C
Loon, Common	Sp/F; 1; R
Mallard *	Y; 1; A
Martin, Purple	Sp/Su; 1; U
Meadowlark, Eastern *	Sp/Su; 4; C
Meadowlark, Western	Sp/Su; 4; R
Merganser, Common *	F/W; 1; C
Merganser, Hooded	F/W; 1; U
Merganser, Red-breasted	F/W; 1; U
Mockingbird, Northern	Y; 3/4; R
Nighthawk, Common	Sp/Su; 6; U
Night-Heron, Black-crowned	Sp/Su; 1/5; R
Night-Heron, Yellow-crowned	Sp/Su; 1/5; R
Nuthatch, Red-breasted	W; 2; R
Nuthatch, White-breasted *	Y; 2; A
Oriole, Baltimore *	Sp/Su; 2; C
Oriole, Orchard *	Sp/Su; 2/3; R
Osprey	Sp-F; 1; R
Ovenbird *	Sp/Su; 2; U
Owl, Barred *	Y; 2; U
Owl, Eastern Screech *	Y; 2; U
Owl, Great Horned *	Y; 2; U
Owl, Long-eared	W; 2; X
Owl, Short-eared	W; 4; R
Parula, Northern *	Sp/Su; 2; U
Pelican, Am. White	Sp/F; 1; U
Pheasant, Ringed-neck *	Y; 3/4; U
Phoebe, Eastern *	Sp/Su; 2/5; A
Pintail, Northern	Sp/F; 1; U
Plover, Black-bellied	Sp/F; 1; R
Plover, Semipalmated	Sp/F; 1; R
Redhead	Sp/F; 1; U
Redpoll, Common	W; 2/3; R
Redstart *	Sp/Su; 2; U
Robin, American *	Sp/Su; 6; A
Sandpiper, Baird's	Sp/F; 1; X
Sandpiper, Least	Sp/F; 1; U
Sandpiper, Pectoral	Sp/F; 1; U
Sandpiper, Semipalmated	Sp/F; 1; U
Sandpiper, Solitary	Sp/F; 1; U
Sandpiper, Spotted *	Sp/Su; 1; C
Sapsucker, Yellow-bellied	Sp/F; 2; R
Scaup, Greater	F-Sp; 1; X
Scaup, Lesser	F-Sp; 1; U
Scoter, White-winged	Sp/F; 1; X
Shoveler, Northern	Sp/F; 1; U

Shrike, Northern	W; 3/4; X
Siskin, Pine	W/Sp; 2/3; R
Snipe, Wilson's	Sp/F; 1; U
Sora *	Sp/Su; 1; R
Sparrow, American Tree	W; 3/4; C
Sparrow, Chipping *	Sp/Su; 2/3; A
Sparrow, Clay-colored	Sp/Su; 2/3; X
Sparrow, Field *	Sp/Su; 3/4; C
Sparrow, Fox	F-Sp; 2/3; U
Sparrow, Grasshopper *	Sp.Su; 4; U
Sparrow, Henslow's *	Su; 4; R
Sparrow, House *	Y; 6; A
Sparrow, Lincoln's	Sp/F; 2/3; R
Sparrow, Savannah *	Sp.Su; 4; U
Sparrow, Song *	Y; 2/3; C
Sparrow, Swamp *	Sp/Su; 1/3; U
Sparrow, Vesper *	Sp/Su; 4; U
Sparrow, White-crowned	W/Sp; 2/3; U
Sparrow, White-throated	W/Sp; 2/3; C
Starling, European *	Y; 6; A
Swallow, Bank*	Sp/Su; 1; U
Swallow, Barn *	Sp/Su; 4; C
Swallow, Cliff *	Sp/Su; 1; C
Swallow, No. Rough-winged *	Sp/Su; 1/5; A
Swallow, Tree *	Sp/Su; 1/4; C
Swan, Mute	Sp/F; 1; R
Swan, Tundra	Sp/F; 1; R
Swift, Chimney	Sp/Su; 6; C
Tanager, Scarlet *	Sp/Su; 2; U
Tanager, Summer	Sp; 2; U
Tanager, Western	Sp; 2; X
Teal, Blue-winged	Sp/F; 1; U
Teal, Green-winged	Sp/F; 1; U
Tern, Black	Sp/F; 1; R
Tern, Caspian	Sp/F; 1; C
Tern, Common	Sp/F; 1; R
Tern, Forster's	Sp/F; 1; U
Thrasher, Brown *	Sp/Su; 2/3; C
Thrush, Gray-checked	Sp/F; 2; U
Thrush, Hermit	Sp/F; 2; U
Thrush, Swainson's	Sp/F; 2; U
Thrush, Wood *	Sp/F; 2; U
Titmouse, Tufted *	Y; 2; C
Towhee, Eastern *	Sp/Su; 3/4; C
Turkey, Wild *	Y; 2/4; U
Veery *	Sp-F; 2; U
Viero, Bell's *	Sp/Su; 3; R

Viero, Blue-headed	Sp/F; 2; U
Viero, Philedelphia	Sp/F; 2; R
Viero, Red-eyed *	Sp/Su; 2; A
Viero, Warbling *	Sp/Su; 2; A
Viero, Yellow-throated *	Sp/Su; 2; C
Vireo, White-eyed *	Sp/Su; 3; U
Vulture, Turkey *	Sp-F; 6; C
Warbler, Bay-breasted	Sp/F; 2; U
Warbler, Black-and-white	Sp/F; 2; U
Warbler, Blackburnian	Sp/F; 2; U
Warbler, Blackpoll	Sp/F; 2; U
Warbler, Black-thr. Blue	Sp/F; 2; R
Warbler, Black-throated Green	Sp/F; 2; U
Warbler, Blue-winged	Sp/F; 2; U
Warbler, Canada	Sp/Su; 2; U
Warbler, Cape May	Sp/F; 2; U
Warbler, Cerulean *	Sp/Su; 2; R
Warbler, Chestnut-sided	Sp/F; 2; U
Warbler, Connecticut	Sp; 2; R
Warbler, Golden-winged	Sp/F; 2; U
Warbler, Hooded	Sp; 2; U
Warbler, Kentucky	Sp; 2; R
Warbler, Magnolia	Sp/F; 2; U
Warbler, Mourning	Sp; 3/4; R
Warbler, Orange-crowned	Sp/F; 2; R
Warbler, Palm	Sp/F; 2/3; C
Warbler, Pine	Sp/F; 2; R
Warbler, Prothonotary *	Sp/Su; 2; R
Warbler, Tennessee	Sp/F; 2; C
Warbler, Wilsons	Sp/F; 2; U
Warbler, Worm-eating	Sp; 2; X
Warbler, Yellow *	Sp/Su; 2/3; C
Warbler, Yellow-rumped	Sp/F; 2/3; C
Warbler, Yellow-throated	Sp/Su; 2; U
Waterthrush, Louisiana *	Sp/Su; 2; U
Waterthrush, Northern	Sp/F; 2; U
Waxwing, Cedar *	Sp/Su; 2/3; C
Whip-poor-will *	Sp/Su; 2; R
Wigeon, American	Sp/F; 1; U
Willet	Sp/F; 1; X
Woodcock, American *	Sp/Su; 2/4; C
Woodpecker, Downy *	Y; 2; A
Woodpecker, Hairy *	Y; 2; U
Woodpecker, Pileated *	Y; 2; R
Woodpecker, Red-bellied *	Y; 2; A
Woodpecker, Red-headed *	Y; 2; U
Wood-Pewee, Eastern *	Sp/Su; 2; A

Wren, Carolina *	Y; 2/5; C
Wren, House *	Sp/Su; 2/3; A
Wren, Marsh *	Sp/Su; 1; R
Wren, Sedge *	Su; 4; U
Wren, Winter	W; 5; R
Yellowlegs, Greater	Sp/F; 1; U
Yellowlegs, Lesser	Sp/F; 1; U
*Yellowthroat, Common	Sp/Su; 3/4; C